



ERWEITERUNG ZUM ALLGEMEINEN
BAUAUFSICHTLICHEN PRÜFZEUGNIS (ABP) -
STAHLKONSTRUKTION

EASY GLASS[®] MAX

TOP MONTAGE	MOD.6926
F MONTAGE	MOD.6929
FASCIA MONTAGE	MOD.6935
Y MONTAGE	MOD.6936

Bescheid über die Änderung des allgemeinen bauaufsichtlichen Prüfzeugnisses: P-2019-3048

Antragsteller: **Q-railing Europe GmbH & Co. KG**
Marie-Curie-Straße 8 - 14
46446 Emmerich am Rhein

Die Bestimmungen des allgemeinen bauaufsichtlichen Prüfzeugnisses werden wie folgt geändert und ergänzt.

Abschnitt **2.1.1 Geltungsbereich** ist wie folgt zu ändern:

Die Verglasungen werden an der unteren horizontalen Glaskante linienförmig gelagert. Die zulässigen Lagerungsprofile sind in den Anlagen 1 bis 4 dargestellt. Es dürfen alle Profile der **EASY GLASS MAX** Serie verwendet werden. In den folgenden Abbildungen sind die vier Profiltypen exemplarisch dargestellt.




Abb. 1 bis 4: Easy Glass MAX; fascia, Top, F und Y

Die Glasklemmung wird durch das Einschieben von Kunststoffkeilen erreicht.



Die Aluminiumprofile werden mit chemischen Dübeln von Q-railing (Q VMZ -IG A490 M12) oder mit Schrauben A4 70 M12 befestigt.

Das System Top F kann auch mit mechanischen Dübeln (Q SZ- S12) befestigt werden.

An den Glasoberkanten werden die Scheiben mit einem durchgehenden Handlaufprofil verbunden. Das Profil muss die Vorgaben an die statische Bemessung nach DIN 18008-4, erfüllen.

Alternativ zum aufgesetzten Profil kann der Handlauf auch wie in Anlage 5 dargestellt punktförmig befestigt werden.

Dieser Bescheid umfasst 2 Seiten und 5 Anlagen.


München, den 17.03.2020

Für die Leitung und Sachbearbeiter



Dipl.-Ing. (FH) A. Lorenz


(PÜZ- Stellenleiter Glasbau)



THIS DRAWING IS PROPERTY OF Q-RAILING EUROPE GmbH & Co KG
ALL RIGHTS RESERVED. It may not be submitted for perusal to third
parties, either whole nor partly, unless granted. It is not permitted to
alter this drawing unauthorised, in any way.

	Date	Name
Drawn	15.12.2014	JUTH
Checked		

Scale: 1 : 1,5 | Weight: N/A



Rev.No.: 0

Material:

Finish:

Product line:

EASY GLASS MAX

Description:

Base shoe fascia mount


Drawing no.:


16693500018


Sheet:

1 / 1

A4




			Scale: 1 : 1,5 Weight: N/A		Rev.No.: 0
THIS DRAWING IS PROPERTY OF Q-RAILING EUROPE GmbH & Co KG ALL RIGHTS RESERVED. It may not be submitted for perusal to third parties, either whole nor partly, unless granted. It is not permitted to alter this drawing unauthorised, in any way.			Material:		
			Finish:		
			Product line:		
			EASY GLASS MAX		
			Description:		
			Base shoe top mount		
			Drawing no.:		
			16692600018		
			Sheet:		
			1 / 1		
			A4		



			Scale: 1 : 1,5	Weight: N/A		Rev.No.: 0
Material:			Finish:			
Product line:			EASY GLASS MAX			
Description:			Base shoe F mount			
Drawing no.:			16692900018			Sheet: 1 / 1
						A4

THIS DRAWING IS PROPERTY OF Q-RAILING EUROPE GmbH & Co KG
ALL RIGHTS RESERVED. It may not be submitted for perusal to third parties, either whole nor partly, unless granted. It is not permitted to alter this drawing unauthorised, in any way.

	Date	Name
Drawn	15.12.2014	JUTH
Checked		






Q-railing

THIS DRAWING IS PROPERTY OF Q-RAILING EUROPE GmbH & Co KG
ALL RIGHTS RESERVED. It may not be submitted for perusal to third parties, either whole nor partly, unless granted. It is not permitted to alter this drawing unauthorised, in any way.

	Date	Name
Drawn	15.12.2014	JUTH
Checked		

Scale: 1 : 1,5	Weight: N/A		Rev.No.: 0
Material:			
Finish:			
Product line: EASY GLASS MAX			
Description: Base shoe Y mount			
Drawing no.: 16693600018			Sheet: 1 / 1 A4



option 2

Anlage 5



Scale: 1 : 11 | Weight: N/A | Rev.No.: 0

Material:

Finish:

Product line:

Description:

1
REV

DESCRIPTION

DRAWN

DATE

General tolerance according

Drawing no.:

Project:
Sheet: 1 / 1
A4
handrail_fixed_in_glass-op



GOOD LUCK WITH
YOUR INSTALLATION!

VIEL ERFOLG MIT
IHRER MONTAGE!

SUCCES MET
DE INSTALLATIE!